Platelet Aggregation Draw Guide

New Orleans, LA Area Lab 8721 Oak Street New Orleans, LA 70118 (504) 866-7090



Please call our lab at (504) 866-7090 before drawing the patient. Samples <u>must be received within 2 hours of draw</u> to complete all testing.

Specimen requirements vary by test (call for pediatric draws):

Test	Number of Tubes	Sample Type	Days Performed
Platelet Aggregation Study	5	3 mL - 3.2% Sodium Citrated, Whole Blood, Room Temperature	By appointment only: Monday - Friday 9 am - 2 pm
Platelet Aggregation Study with ATP / Granule Release Study	8		
Aspirin Sensitivity (ASA)*	4		
Plavix® Sensitivity*	4		
Ristocetin-induced Platelet Aggregation (RIPA)	4		

^{*} If ordering the ASA and Plavix Sensitivity together, only 4 x 3mL tubes are required to complete testing.

Patient Preparation

Fasting: 6 hours

Additional Requirements:

No aspirin** or fish oil for 14 days prior to draw

No NSAIDs (e.g. ibuprofen, naproxen, etc.) or antihistamines for 72 hours prior to draw

**Please do not discontinue any prescribed medications without consulting the ordering provider.

Patients may remain on aspirin or Plavix if Aspirin Sensitivity or Plavix Sensitivity testing is ordered.

Instructions:

- 1. Complete an order form and if available, include a list of current medications.
- 2. At the scheduled appointment time, draw the required number of tubes. Invert samples gently to mix.
- 3. Label the tubes with patient first and last name, DOB, draw date and draw time.
- 4. No other processing is required. Send immediately at room temperature.